

Type: EEZ-800 **Art. Nr.:** 38206



9120015729084

Short description

Ceiling spotlight, white, 0.8kW, 230V



Product Description

EEZ radiant ceiling heaters have been developed for complete and additional heating and as protection against cold draughts from windows in environments such as department stores, assembly halls and industrial buildings, etc. EEZ radiant heaters emit an even, pleasant heat and therefore different comfort zones can be created by spot and surface heating. A hygienic room climate is achieved as the spread of dust and bacteria is reduced. Housing: white RAL 9016, EEZ-3600 galvanized steel panel, protection class: IP 44, max. surface temperature: 290 °C, recommended installation height: 2.5 to 4.0 m, test mark: CE compliant.

ETIM characteristics

Model	Ceiling radiator	Voltage	230 230 Volt
Mounting method	Surface mounting	Number of heating levels	1
Power step OFF	×	Min. heating power	800 Watt
Mounting over cradle	×	Max. heating power	800 Watt
Degree of protection (IP)	IP44	Min. mounting height	2.5 Metre
Colour	White	Max. mounting height	4 Metre
Compatible with Apple HomeKit	×	Height	50 Millimetre
Compatible with Google Assistant	×	Width	650 Millimetre
Compatible with Amazon Alexa	×	Depth	290 Millimetre
IFTTT support available	×	RAL-number	9016

Created on: 09/10/2024



Type: EEZ-1200 **Art. Nr.:** 38207



9120015729381

Short description

Ceiling spotlight, white, 1.2kW, 230V

*** Image not allowed: https://etherma.compano.com/ Data/Environments/000039/Att achment/Bijlage/PRD/PPI/EEZ _290.jpg ***

Product Description

EEZ radiant ceiling heaters have been developed for complete and additional heating as well as protection against cold draughts from windows in environments such as department stores, assembly halls and industrial buildings, etc. EEZ radiant heaters emit an even, pleasant heat and therefore different comfort zones can be created by spot and surface heating. A hygienic room climate is achieved as the spread of dust and bacteria is reduced. Housing: white RAL 9016, EEZ-3600 galvanized steel panel, protection class: IP 44, max. surface temperature: 290 °C, recommended installation height: 2.5 to 4.0 m, test mark: CE compliant.

ETIM characteristics

Model	Ceiling radiator	Voltage	230 230 Volt
Mounting method	Surface mounting	Number of heating levels	1
Power step OFF	×	Min. heating power	1200 Watt
Mounting over cradle	×	Max. heating power	1200 Watt
Degree of protection (IP)	IP44	Min. mounting height	2.5 Metre
Colour	White	Max. mounting height	4 Metre
Compatible with Apple HomeKit	×	Height	50 Millimetre
Compatible with Google Assistant	×	Width	960 Millimetre
Compatible with Amazon		Depth	290 Millimetre
Alexa	×		
IFTTT support available	×	RAL-number	9016

Created on: 09/10/2024

Tel.: +49 2562 / 81 97 00 Mail: office.de@etherma.com Web: www.etherma.com



Type: EEZ-1600 **Art. Nr.:** 38208



9120015728896

Short description

Ceiling spotlight, white, 1.6kW, 230V



Product Description

EEZ radiant ceiling heaters have been developed for complete and additional heating as well as protection against cold draughts from windows in environments such as department stores, assembly halls and industrial buildings, etc. EEZ radiant heaters emit an even, pleasant heat and therefore different comfort zones can be created by spot and surface heating. A hygienic room climate is achieved as the spread of dust and bacteria is reduced. Housing: white RAL 9016, EEZ-3600 galvanized steel panel, protection class: IP 44, max. surface temperature: 290 °C, recommended installation height: 2.5 to 4.0 m, test mark: CE compliant.

ETIM characteristics

Model	Ceiling radiator	Voltage	230 230 Volt
Mounting method	Surface mounting	Number of heating levels	1
Power step OFF	×	Min. heating power	1600 Watt
Mounting over cradle	×	Max. heating power	1600 Watt
Degree of protection (IP)	IP44	Min. mounting height	2.5 Metre
Colour	White	Max. mounting height	4 Metre
Compatible with Apple HomeKit	×	Height	50 Millimetre
Compatible with Google Assistant	×	Width	1360 Millimetre
Compatible with Amazon	•	Depth	290 Millimetre
Alexa	*		0016
IFTTT support available	×	RAL-number	9016

Created on: 09/10/2024

Tel.: +49 2562 / 81 97 00 Mail: office.de@etherma.com Web: www.etherma.com



Type: EEZ-2000 **Art. Nr.:** 38209



9120015729091

Short description

Ceiling spotlight, white, 2kW, 230V



Product Description

EEZ radiant ceiling heaters have been developed for complete and additional heating as well as protection against cold draughts from windows in environments such as department stores, assembly halls and industrial buildings, etc. EEZ radiant heaters emit an even, pleasant heat and therefore different comfort zones can be created by spot and surface heating. A hygienic room climate is achieved as the spread of dust and bacteria is reduced. Housing: white RAL 9016, EEZ-3600 galvanized steel panel, protection class: IP 44, max. surface temperature: 290 °C, recommended installation height: 2.5 to 4.0 m, test mark: CE compliant.

ETIM characteristics

Model	Ceiling radiator	Voltage	230 230 Volt
Mounting method	Surface mounting	Number of heating levels	1
Power step OFF	×	Min. heating power	2000 Watt
Mounting over cradle	×	Max. heating power	2000 Watt
Degree of protection (IP)	IP44	Min. mounting height	2.5 Metre
Colour	White	Max. mounting height	4 Metre
Compatible with Apple HomeKit	×	Height	50 Millimetre
Compatible with Google Assistant	×	Width	1680 Millimetre
Compatible with Amazon		Depth	290 Millimetre
Alexa	×		
IFTTT support available	×	RAL-number	9016

Created on: 09/10/2024

Tel.: +49 2562 / 81 97 00 Mail: office.de@etherma.com Web: www.etherma.com



Type: EEZ-3600 **Art. Nr.:** 38907



9120054178607

Short description

Ceiling heaters, galvanized steel panel, 3.6kW, 230V



Product Description

EEZ radiant ceiling heaters have been developed for complete and additional heating as well as protection against cold draughts from windows in environments such as department stores, assembly halls and industrial buildings, etc. EEZ radiant heaters emit an even, pleasant heat and therefore different comfort zones can be created by spot and surface heating. A hygienic indoor climate is achieved as the spread of dust and bacteria is reduced. Housing: galvanized steel panel, protection class: IP 44, max. surface temperature: 290 °C, recommended installation height EEZ-3600: 2.5 to 4.0 m, test mark: CE compliant.

ETIM characteristics

Model	Ceiling radiator	Voltage	230 400 Volt
Mounting method	Surface mounting	Number of heating levels	1
Power step OFF	×	Min. heating power	3600 Watt
Mounting over cradle	×	Max. heating power	3600 Watt
Degree of protection (IP)	IP44	Min. mounting height	2.5 Metre
Colour	Grey	Max. mounting height	40 Metre
Compatible with Apple HomeKit	×	Height	80 Millimetre
Compatible with Google Assistant	×	Width	1680 Millimetre
Compatible with Amazon Alexa	×	Depth	300 Millimetre
IFTTT support available	×	RAL-number	0

Created on: 09/10/2024

Tel.: +49 2562 / 81 97 00

Web: www.etherma.com

Mail: office.de@etherma.com